

# nanonanowerk

[Home](#)[News](#)[Social  
Databases](#)[Nano  
Catalog  
Nano  
Jobs](#)[Resources](#)[Introduction to Nanotechnology](#)[Home](#)[Nanotechnology News](#)[Nanotechnology Spotlights](#)[Other Tech News](#)[Nanowerk on Social Media](#)[Introduction to Nanotechnology](#)[Nanowerk Databases](#)[Resources](#)[Nano Catalog](#)

Kaspersky Internet S  
schützt Ihre Privatsp  
Finanzen und mehr –  
PC, Mac und Androi


Feb 22, 2021

## Concept for a new storage medium

(*Nanowerk News*) Using nanoscale quantum sensors, an international research team has succeeded in exploring certain previously uncharted physical properties of an antiferromagnetic material. Based on their results, the

researchers developed a concept for a new storage medium published in the journal *Nature Physics* ("[Nanoscale mechanics of antiferromagnetic domain walls](#)"). The project was coordinated by researchers from the Department of Physics and the Swiss Nanoscience Institute at the University of Basel.

Antiferromagnets make up 90 percent of all magnetically ordered materials. Unlike ferromagnets such as iron, in which the magnetic moments of the atoms are oriented parallel to each other, the orientation of the magnetic moments in antiferromagnets alternates between neighboring atoms. As a result of the cancellation of the alternating magnetic moments, antiferromagnetic materials appear non-magnetic and do not generate an external magnetic field.



*In an antiferromagnetic single crystal, regions with different orientations of the antiferromagnetic order have been created (blue and red regions), separated by a domain wall. Their course can be controlled by structuring the surface. This is the basis for a new storage medium concept. (Image: Department of Physics, University of Basel)*

Antiferromagnets hold great promise for exciting applications in data processing, as the orientation of their magnetic moment - in contrast to the ferromagnets used in conventional storage media - cannot be accidentally overwritten by magnetic fields. In recent years, this potential has given rise to the budding research field of antiferromagnetic spintronics, which is the focus of numerous research groups around the world.

### Quantum sensors provide new insights

In collaboration with the research groups under Dr. Denys Makarov (Helmholtz-Zentrum in Dresden, Germany) and Professor Denis D. Sheka (Taras Shevchenko National University of Kyiv, Ukraine), the team led by Professor Patrick Maletinsky in Basel examined a single crystal of chromium(III) oxide ( $\text{Cr}_2\text{O}_3$ ). This single crystal is an almost perfectly ordered system, in which the atoms are arranged in a regular crystal lattice with very few defects.

“We can alter the single crystal in such a way as to create two areas (domains) in which the antiferromagnetic order has different orientations,” explains Natascha Hedrich, lead author of the study.

## Domain walls in antiferromagnetic materials



These two domains are separated by a domain wall. To date, experimental examinations of domain walls of this sort in antiferromagnets have only succeeded in isolated cases and with limited detail.

“Thanks to the high sensitivity and excellent resolution of our quantum sensors, we were able to experimentally demonstrate that the domain wall exhibits behavior similar to that of a soap bubble,” Maletinsky explains.

Like a soap bubble, the domain wall is elastic and has a tendency to minimize its surface energy. Accordingly, its trajectory reflects the crystal’s antiferromagnetic material properties and can be predicted with a high degree of precision, as confirmed by simulations performed by the researchers in Dresden.

### Surface architecture determines trajectory

The researchers exploit this fact to manipulate the trajectory of the domain wall in a process that holds the key to the proposed new storage medium. To this end, Maletinsky’s team selectively structures the surface of the crystal at the nanoscale, leaving behind tiny raised squares. These squares then alter the trajectory of the domain wall in the crystal in a controlled manner.

The researchers can use the orientation of the raised squares to direct the domain wall to one side of the square or the other. This is the fundamental principle behind the new data storage concept: if the domain wall runs to the “right” of a raised square, this could represent a value of 1, while having the

domain wall to the “left” could represent a value of 0. Through localized heating with a laser, the trajectory of the domain wall can be repeatedly altered, making the storage medium reusable.

“Next, we plan to look at whether the domain walls can also be moved by means of electrical fields,” Maletinsky explains. “This would make antiferromagnets suitable as a storage medium that is faster than conventional ferromagnetic systems, while consuming substantially less energy.”

*Source: University of Basel*

Share  
this:

## Nanowerk Newsletter

Get our daily Nanotechnology News to your inbox!

These articles might interest you as well:



Graphite Powder

Ad

'Magnetic graphene' forms a new kind of magnetism

Complete and updated handbook

Ad

Nanocomposite structures enhance solar cell efficiency

Nanofabrication Services - Custom Diffraction Gratings

New piezoelectric material remains effectiv

Ad

Scientists manipulate magnets at the atomic scale

High-performance carbon composites made from stretch-bridged graphene...

Vibrating 2D ma

## Research News

(click here for Business News)

Graphene oxide membranes could reduce paper industry energy costs

Feb 22, 2021

Polymer film protects from electromagnetic radiation, signal interference

Feb 22, 2021

CSI Solid-State: The fingerprints of quantum effects

Feb 22, 2021

Silver and gold nanowires open the way to better electrochromic devices

Feb 22, 2021

New 'metalens' shifts focus without tilting or movingA sponge to soak up carbon dioxide in the air

Feb 22, 2021

Feb 22, 2021

Magnetic effect without a magnetConcept for a new storage medium

Feb 22, 2021

Feb 22, 2021

Attachable skin monitors that wick the sweat awayOptical frequency combs found a new dimension

Feb 22, 2021

Feb 21, 2021

Researchers create 'beautiful marriage' of quantum enemiesThe future of electronics is stretchy (w/video)



Feb 20, 2021

New phenomena for the design of future quantum devices

Feb 20, 2021

Scientists find way for mass production of near-zigzag carbon nanotubes

Feb 20, 2021

A speed limit also applies in the quantum world Swimming upstream on sound waves (w/video)

Feb 20, 2021

Feb 19, 2021

Assessing nanomaterial movements and nanomaterial-induced responses in lymphatic vessels

Feb 19, 2021

Tuning electrode surfaces to optimize solar fuel production

Feb 19, 2021

In new step towards autonomous materials, researchers design patterns in self-propelling liquid crystals

Feb 19, 2021

Researchers clarify the microscopic origin of dissipation with graphene

Feb 18, 2021

Researchers flip the switch to make microsensors super sensitive to biomolecules

Feb 18, 2021

Novel tools for biomedical applications: Bacterial magnetic nanoparticles

Feb 18, 2021

Nanofibers for quantum technologies at room temperature

Feb 18, 2021

Researchers develop affordable method for production of transparent solar cells

Feb 18, 2021

Researchers advance bioinspired nanotechnology to enhance blood clotting to stop severe traumatic bleeding

Feb 18, 2021

Energy-harvesting nanogenerator technology to make roads safer

Feb 18, 2021

Researchers discover a new route to forming complex crystals Electrons living on the edge

Feb 18, 2021

Feb 18, 2021

Colloidal quantum dot lasers poised to come of age When magnetotactic microswimmers condense like cold atoms

Feb 18, 2021

Feb 17, 2021

---

...MORE NANOTECHNOLOGY RESEARCH NEWS





BIS  
ZU **50**

JETZT E



# Mono Layer Graphene

High  
Full  
prod  
wide



[Home](#) | [Privacy](#) | [Cookies](#) | [Terms of use](#) | [Contact us](#) | [What is Nanotechnology?](#)  
| [Sitemap](#) | [Advertise](#) | [Submit news](#)