


Tiny implants for cells are functional in vivo

March 19, 2018, University of Basel



Artificial organelles in the scavenger cells of a zebrafish that were made visible by a fluorescent reaction. The fluorescence only occurs when the enclosed peroxidase enzyme is activated and reacts hydrogen peroxide produced by the ... more

For the first time, an interdisciplinary team from the University of Basel has succeeded in integrating artificial organelles into the cells of living zebrafish embryos. This innovative approach using artificial organelles as cellular implants offers new potential in treating a range of diseases, as the authors report in an article published in *Nature Communications*.

MULTIPHYSICS CASE STUDIES
How numerical simulation is being used to transform R&D and product design

READ NOW >>

In the cells of higher organisms, organelles such as the nucleus or mitochondria perform a range of complex functions necessary for life. In the networks of the Swiss Nanoscience Institute and the NCCR "Molecular Systems Engineering", the group led by Professor Cornelia Palivan from the Department of Chemistry at the University of Basel is working to produce organelles of this kind in the laboratory, to introduce them into cells, and to control their activity in response to the

presence of external factors (e.g. change in pH values or reductive conditions).

These cellular implants could, for example, carry enzymes able to convert a pharmaceutical ingredient into the active substance and release it "on demand" under specific conditions. Administering drugs in this way could considerably reduce both the amounts used and the side effects. It would allow treatment to be delivered only when required by changes associated with pathological conditions (e.g., a tumor).

Tiny capsules with an enzymatic cargo

The artificial organelles are based on tiny capsules that form spontaneously

Featured Last comments Popular

- 'Oumuamua likely came from a binary star system 17 hours ago 4
- Scientists detect radio echoes of a black hole feeding on a star 19 hours ago 4
- Mars' oceans formed early, possibly aided by massive volcanic eruptions 15 hours ago 0
- 'Kagome metal': Physicists discover new quantum electronic material 15 hours ago 0
- Volcanic eruption influenced Iceland's conversion to Christianity 22 hours ago 4

more >>

Phys.org on Facebook

Email newsletter
email Subscribe

Relevant PhysicsForums posts

in solution from polymers and can enclose various macromolecules such as enzymes. The artificial organelles presented here contained a peroxidase enzyme that only begins to act when specific molecules penetrate the wall of the capsules and support the enzymatic reaction.

To control the passage of substances, the researchers incorporated chemically modified natural [membrane proteins](#) into the wall of the capsules. These act as gates that open according to the glutathione concentration in the cell.

At a low glutathione value, the pore of the membrane proteins are "closed" - that is, no substances can pass. If the glutathione concentration rises above a certain threshold, the protein gate opens and substances from outside can pass through the pore into the cavity of the capsule. There, they are converted by the enzyme inside and the product of the reaction can leave the capsule through the open gate.

Also effective in living organisms

In collaboration with the group led by Professor Jörg Huwyler of the Department of Pharmaceutical Sciences at the University of Basel, the artificial organelles have also been studied in vivo. "We've now been able to integrate these controllable artificial organelles into the cells of a living organism for the first time," says Cornelia Palivan.

The researchers chose zebrafish embryos because their transparent bodies allow excellent tracking of the cellular implants under a microscope when they are marked with a fluorescent dye.

After the artificial organelles were injected, they were "eaten" by macrophages and therefore made their way into the organism. The researchers were then able to show that the peroxidase enzyme trapped inside the artificial organelle was activated when hydrogen peroxide produced by the macrophages entered through the protein gates.

"In this study, we showed that the artificial organelles, which are inspired by nature, continue to work as intended in the living organism, and that the protein gate we incorporated not only works in cell cultures but also in vivo," comments Toma Einfeldt, the first author of the article and graduate of the PhD School of the Swiss Nanoscience Institute. The idea of using artificial organelles as cell implants with the potential to produce active pharmaceutical compounds, for example, opens up new perspectives for patient-oriented protein therapy.

+ Explore further: [Nanocapsules enable cell-inspired metabolic reactions](#)

More information: T. Einfeldt et al, Biomimetic artificial organelles with in vitro and in vivo activity triggered by reduction in microenvironment, *Nature Communications* (2018). DOI: [10.1038/s41467-018-03560-x](https://doi.org/10.1038/s41467-018-03560-x)

Journal reference: [Nature Communications](#)

Provided by: [University of Basel](#)

13 shares

feedback to editors

Trouble understanding bond shifting 🕒 Mar 17, 2018

Has anyone ever dealt with limescale in a bathroom sink? 🕒 Mar 16, 2018

Atomic symbol notation question 🕒 Mar 15, 2018

A diol - Question about this organic compound 🕒 Mar 12, 2018

Optimizing Redox Reaction of FeO with H2 🕒 Mar 09, 2018

Polyvinyl acetate separation 🕒 Mar 02, 2018

[More from Chemistry](#)

subscribe & personalize



Daily newsletter

Related Stories




Nanocapsules enable cell-inspired metabolic reactions

September 19, 2017

Researchers at the University of Basel succeeded in developing capsules capable of producing the bio-molecule glucose-6-phosphate that plays an important role in metabolic processes. The researchers were able to produce

the ...



Artificial organelles transform free radicals into water and oxygen

July 16, 2013

Researchers at the University of Basel have successfully developed artificial organelles that are able to support the reduction of toxic oxygen compounds. This opens up new ways in the development of novel drugs that can ...

Recommended for you



Study suggests helium plays a 'nanny' role in forming stable chemical compounds under high pressure

March 19, 2018

Helium, the second lightest element in the universe, has a variety of uses, from keeping balloons afloat to cooling superconducting magnets.



Programming DNA to deliver cancer drugs

March 19, 2018

DNA has an important job—it tells your cells which proteins to make. Now, a research team at the University of Delaware has developed technology to program strands of DNA into switches that turn proteins on and off.



Modified biomaterials self-assemble on

Controllable protein gates deliver on-

User comments

Please sign in to add a comment. Registration is free, and takes less than a minute. [Read more](#)

Sign in

[Click here to reset your password.](#)

Sign in to get notified via email when new comments are made.

- Top
- Home
- Search
- Mobile version
- Help
- FAQ
- About
- Contact
- Science X Account
- Sponsored Account
- Newsletter
- RSS feeds
- Feature Stories
- Latest news
- Week's top
- Archive
- Android app
- iOS app
- Amazon Kindle

Connect

