

Home > SCIENCE NEWS > Technology and Engineering > Ultrathin semiconductors electrically connected to superconductors for the first time

Ultrathin Semiconductors Electrically Connected To Superconductors For The First Time

On Jul 6, 2021

TECHNOLOGY AND ENGINEERING



Credit: C. Möller and M. Ramezani, Swiss Nanoscience Institute, University of Basel

For the first time, University of Basel researchers have equipped an ultrathin semiconductor with superconducting contacts. These extremely thin materials with novel electronic and optical properties could pave the way for previously unimagined applications. Combined with superconductors, they are expected to give rise to new quantum phenomena and find use in quantum technology.

Whether in smartphones, televisions or building technology, semiconductors play a central role in electronics and therefore in our everyday lives. In contrast to metals, it is possible to adjust their electrical conductivity by applying a voltage and hence to switch the current flow on and off.

With a view to future applications in electronics and quantum technology, researchers are focusing on the development of new components that consist of a single layer (monolayer) of a semiconducting material. Some naturally occurring materials with semiconducting properties feature monolayers of this kind, stacked to form a three-dimensional crystal. In the laboratory, researchers can separate these layers – which are no thicker than a single molecule – and use them to build electronic components.

New properties and phenomena

These ultrathin semiconductors promise to deliver unique characteristics that are otherwise very difficult to control, such as the use of electric fields to influence the magnetic moments of the electrons. In addition, complex quantum mechanical phenomena take place in these semiconducting monolayers that may have applications in quantum technology.

Scientists worldwide are investigating how these thin semiconductors can be stacked to form new synthetic materials, known as van der Waals heterostructures. However, until now, they have not succeeded in combining such a monolayer with superconducting structures in order to dig deeper into the properties and peculiarities of the new materials.

Superconducting contacts

A team of physicists, led by Dr. Andreas Baumgartner in the research group of Professor Christian Schönenberger at the Swiss Nanoscience Institute and the Department of Physics of the University of Basel, has now fitted a monolayer of the semiconductor molybdenum disulfide with superconducting contacts for the first time. (see box)

The reason why this combination of semiconductor and superconductor is so interesting is that the experts expect components of this kind to exhibit new properties and physical phenomena. "In a superconductor, the electrons arrange themselves into pairs, like partners in a dance – with weird and wonderful consequences, such as the flow of the electrical current without a resistance," explains Baumgartner, the project manager of the study. "In the semiconductor molybdenum disulfide, on the other hand, the electrons perform a completely different dance, a strange solo routine that also incorporates their magnetic moments. Now we would like to find out which new and exotic dances the electrons agree upon if we combine these materials."

Suitable for use as a platform

The electrical measurements at the low temperatures required for superconductivity – just above absolute zero (-273.15°C) – show clearly the effects caused by the superconductor; for example, at certain energies, single electrons are no longer allowed. Moreover, the researchers found indications of a strong coupling between the semiconductor layer and the superconductor.

"Strong coupling is a key element in the new and exciting physical phenomena that we expect to see in such van der Waals heterostructures, but were never able to demonstrate," says Mehdi Ramezani, lead author of the study.

"And, of course, we always hope for new applications in electronics and quantum technology," says Baumgartner. "In principle, the vertical contacts we've developed for the semiconductor layers can be applied to a large number of semiconductors. Our measurements show that these hybrid monolayer semiconductor components are indeed possible – perhaps even with other, more exotic contact materials that would pave the way for further insights," he adds.

Elaborate fabrication process

The fabrication of the new component in a type of sandwich made of different materials requires a large number of different steps. In each step, it is important to avoid contaminations, as they seriously impair the transport of electrical charges.

To protect the semiconductor, the researchers pack a monolayer of molybdenum disulfide between two thin layers of boron nitride, through which they have previously etched the contacts vertically using electron-beam lithography and ion etching. They then deposit a thin layer of molybdenum rhenium as a contact material – a material that retains its superconducting properties even in the presence of strong magnetic fields.

Working under a protective nitrogen atmosphere in a glove box, the researchers stack the boron nitride layer onto the molybdenum disulfide layer and combine the underside with a further layer of boron nitride as well as a layer of graphene for electrical control. The researchers then place this elaborate van der Waals heterostructure on top of a silicon/silicon-dioxide wafer.

###

Media Contact

Dr. Andreas Baumgartner
andreas.baumgartner@unibas.ch


Original Source

<https://nanoscience.ch/en/2021/07/06/ultrathin-semiconductors-electrically-connected-to-superconductors-for-the-first-time/>

Related Journal Article

<http://dx.doi.org/10.1021/acs.nanolett.1c00615>

Chemistry/Physics/Materials Sciences Materials Nanotechnology/Micromachines Superconductors/Semiconductors



PREV POST

Do heart medications affect COVID-19 outcomes?

NEXT POST

Work like a dream: new anticholinergic drug keeps PTSD flashbacks and nightmares away

You Might Also Like More From Author

Renewal of academic information system after 36 years

Still waiting at an intersection? Banning certain left turns helps traffic flow

Story tips: Powered by nature, get on the bus, accelerating methane and more

PREV NEXT

LEAVE A REPLY

Your email address will not be published.


Your Comment

Your Name * Your Email *

- Save my name, email, and website in this browser for the next time I comment.
- Notify me of new posts by email.

POST COMMENT


Popular Posts



Two Motivational Artificial Beings Are Better Than One For Enhancing Learning


SCIENMAG • Nov 5, 2020

Researchers from the University of Tsukuba find that praise delivered by robots and virtual agents improves offline...



Size matters when it comes to atomic properties

Mar 18, 2021



Aerosol particles cool the climate less than we thought

Jan 28, 2021



A new technique prevents errors in quantum computers

Sep 9, 2020



Researchers develop a fast, accurate, low-cost COVID-19 test

Aug 27, 2020

PREV NEXT